



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

Element Materials Technology Dallas - Plano

3801 E. Plano Parkway
Suite 150
Plano, TX 75074
Renee Walker
Phone: 503-844-4066 x1009
Email: renee.walker@element.com
http://www.nwemc.com

ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

NVLAP LAB CODE 201049-0

Emissions

| <u>Designation</u> | <u>Description</u> |
|--|---|
| EN 12895 (2015) | Industrial trucks - Electromagnetic compatibility |
| EN 12895 (2000) | Industrial trucks - Electromagnetic compatibility |
| KN 301 489-1 (Annex 8-1) w/ RRA Announce 2013-24 (6/17/2013) | Test Method for Electromagnetic Interference; With KN 301 489-1 (Annex 8-1) Korean Only |
| KN 301 489-3 (Annex 8-8) w/ RRA Announce 2013-24 (6/17/13) | Test Method for Electromagnetic Interference; With KN 301 489-03 (Annex 8-8) Korean Only |
| KN 301 489-07 (Annex 8-2); RRA Announce 2012-21,(Jun 28,2012) | Test Methods for Electromagnetic Interference (RRA Announce 2012-21, (June 28, 2012) K only |
| KN 301 489-07 (Annex 8-2); RRA Announce2013-24,(Jun 17,2013) | Test Method for Electromagnetic Interference (RRA Announce 2013-24, (June 17, 2013) K only |
| KN 301 489-17 (Annex 8-3) w/ RRA Announce 2013-24 (6/17/13) | Test Method for Electromagnetic Interference; With KN 301 489-17 (Annex 8-3) Korean Only |
| KN 301 489-24 (Annex 8-4); RRA Announce 2012-21,(Jun 28,2012) | Test Methods for Electromagnetic Interference (RRA Announce 2012-21, June 28, 2012) K only |

For the National Voluntary Laboratory Accreditation Program



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| KN 301 489-24 (Annex 8-4) w/ RRA Announce 2013-24 (6/17/13) | Test Method for Electromagnetic Interference; With KN 301 489-24 (Annex 8-4) Korean Only |
|--|---|
| KN 301 489-27(Annex 8-14); RRA Announce 2012-21(Jun. 28,2012) | Test Methods for Electromagnetic Interference (RRA Announce 2012-21, June 28, 2012) K only |
| KN 301 489-27 (Annex 8-14) w/ RRA Announce 2013-24 (6/17/13) | Test Method for Electromagnetic Interference; With KN 301 489-24 (Annex 8-14) Korean Only |
| EN 50270 (2015) | Electromagnetic Compatibility - Electrical Apparatus For The Detection And Measurement Of Combustible Gases, Toxic Gases Or Oxygen |
| EN 55011 (2007) + A2 (2007) | Industrial, scientific and medical (ISM) radio-frequency equipment - Electromagnetic disturbance characteristics - Limits and methods of measurement |
| EN 55011 (2009) + A1 (2010) | Industrial, scientific and medical (ISM) radio-frequency equipment - Electromagnetic disturbance characteristics - Limits and methods of measurement |
| EN 55012 (2007) +A1 (2009) | Vehicles, boats and internal combustion engines. Radio disturbance characteristics. Limits and methods of measurement for the protection of off-board receivers |
| BS EN 55013 (2013) + A1 (2016) | Sound and television broadcast receivers and associated equipment. Radio disturbance characteristics. Limits and methods of measurement |
| EN 55013 (2013) | Sound and television broadcast receivers and associated equipment. Radio disturbance characteristics. Limits and methods of measurement |
| EN 55013 (2001) + A1 (2003) + A2 (2006) | Sound and television broadcast receivers and associated equipment - Radio disturbance characteristics - Limits and methods of measurement |
| EN 55014-1 (2006) +A1 (2009) +A2 (2011) | Electromagnetic Compatibility Requirements for household appliances, electric tools and similar apparatus - Part 1: Emissions |
| EN 55015 (2013) | Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment |
| BS EN 55015 (2006) + A2 (2009) | Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment |
| EN 55022 (2006) + A1 (2007) | Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement |
| EN 55022 (1998) + A1(2000) + A2(2003) | Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement |
| EN 55022 (2010) | Information technology equipment. Radio disturbance characteristics. Limits and methods of measurement |
| EN 55032 (2015) + AC (2016) | Electromagnetic compatibility of multimedia equipment - Emission Requirements |
| EN 55032 (2012-05) | Electromagnetic compatibility of multimedia equipment. Emission requirements |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| EN 55103-1 (2009) + A1 (2012) | Electromagnetic compatibility - Product family standard for audio, video, audio-visual and entertainment lighting control apparatus for professional use - Part 1: Emission |
|---|--|
| IEC 60255-26 (2013-05) | Measuring relays and protection equipment - Part 26: Electromagnetic compatibility requirements |
| IEC 61000-3-2 (2018) | Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤16 A per phase) |
| IEC 61000-3-2, Ed. 4.0 (2014-05) | Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current <= 16 A per phase) |
| EN 61000-3-2 (2014) | Electromagnetic compatibility (EMC). Limits. Limits for harmonic current emissions (equipment input current = 16 A per phase) |
| IEC 61000-3-3 (2013) + A1 (2017) | Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <=16 A per phase and not subject to conditional connection |
| IEC/EN 61000-3-3 (1995) + A1 (2001) + A2 (2005) | Conducted Emissions, Voltage Flicker |
| EN 61000-3-3 (2013) | EMC- Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low- voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection |
| IEC 61000-3-3 Ed. 3.0 (2013-05) | (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current 16 A per phase and not subject to conditional connection |
| IEC 61000-3-11 (2017) | Electromagnetic compatibility (EMC) - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current <= 75 A and subject to conditional connection |
| IEC 61000-3-11, 1st edition (2000-08) | EMC - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems -Equipment with rated current <=75A and subject to conditional connection |
| IEC 61000-3-12 Ed. 2.0 (2011) | Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current $>$ 16 A and $<$ = 75 A per phase |
| EN 61000-6-3 (2007) + A1 (2011) + AC (2012) | Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments |
| IEC 61000-6-3 (2006-06) | Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments |
| IEC 61000-6-3 (2006) + A1 (2010) | Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments |
| EN 61000-6-3 (2007) + A1 (2011) | Electromagnetic compatibility (EMC). Generic standards. Emission standard for residential, commercial and light-industrial environments |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| EN 61000-6-3 (2007) | Electromagnetic compatibility (EMC) - Part 6-3: Generic standard - Emission standard for residential, commercial and light industrial environments |
|---|--|
| KN 61000-6-3 (2012-06) | Electromagnetic compatibility (EMC) - Part 6-3: Generic standard - Emission standard for residential, commercial and light industrial environments |
| KN 61000-6-3 (Annex 14) with RRA Announce 2013-24 (6/17/13) | Test Method for Electromagnetic Interference; With KN 61000-6-3 (Annex 14) Korean Only |
| IEC 61000-6-4 (2018) | Electromagnetic Compatibility (EMC) - Part 6-4: Generic Standards - Emission Standard for Industrial Environments |
| IEC 61000-6-4 (2006-07) | Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments |
| EN 61000-6-4 (2007) | Electromagnetic Compatibility (EMC) - Part 6-4: Generic Standards - Emission Standard for Industrial Environments |
| IEC 61000-6-4 (2006) +A1 (2010) | Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments |
| EN 61000-6-4 (2007) + A1 (2011) | Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments |
| KN 61000-6-4 (2012-06) | Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments |
| KN 61000-6-4 (Annex 15) with RRA Anounce 2013-24 (6/17/2013) | Test Method for Electromagnetic Interference; With KN 61000-6-4 (Annex 15) Korean Only |
| EN 61131-2 (2008) | Programmable controllers. Equipment requirements and tests |
| IEC 61131-2 (2017) Sec. 7.2 | Industrial-process Measurement and Control - Programmable Controllers - Part 2: Equipment Requirements and Tests |
| IEC 61326-1 Ed. 2.0 (2012) | Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements |
| EN 61326-2-1 (2013) | EMC requirements. Particular requirements. Test configurations, operational conditions and performance criteria for EMC unprotected applications |
| EN 61326-2-1 (2006-05) | EMC requirements. Particular requirements. Test configurations, operational conditions and performance criteria for EMC unprotected applications |
| BS EN 61326-2-2 (2006-06) | EMC requirements. Particular requirements. Test configurations, operational conditions and performance criteria for portable test, measuring and monitoring equipment used in low-voltage distribution systems |
| EN 61326-2-2 (2013) | EMC requirements. Particular requirements. Test configurations, operational conditions and performance criteria for portable test, measuring and monitoring equipment used in low-voltage distribution systems |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| EN 61326-2-3 (2013) | Electrical equipment for measurement, control and laboratory use. EMC requirements - Part 2-3: Particular requirements -Test configuration, operational conditions and performance criteria for transducers with integrated or remote signal conditioning |
|--|---|
| EN 61326-2-3 (2006-08) | EMC requirements - Part 2-3: Particular requirements - Test configuration, operational conditions and performance criteria for transducers with integrated or remote signal conditioning |
| EN 61326-2-6 (2013) | Electrical equipment for measurement, control and laboratory use. EMC requirementsParticular requirements. In vitro diagnostic (IVD) medical equipment |
| IEC 62040-2 (2016) | Uninterruptible power systems (UPS) - Part 2: Electromagnetic compatibility (EMC) requirements |
| EN 62040-2 (2006) | Uninterruptible power systems (UPS) - Part 2: Electromagnetic compatibility (EMC) requirements |
| TCVN 7189:2009 (CISPR 22:2006) | Information Technology Equipment-Radio disturbance characteristics - Limits and methods of measurement |
| ISO 7637-2, Second edition (2004) + A1 (2008) | Road vehicles - Electrical disturbances from conduction and coupling - Part 2: Electrical transient conduction along supply lines only |
| CNS 13438 (2006) (up to 6GHz) | Limits and Methods of Measurement of Radio Interference Characteristics of Information Technology Equipment |
| CNS 13439 (2004) | Sound and television broadcast receivers and associated equipment - Radio disturbance characteristics - Limits and methods of measurement |
| CNS 14757-2 (1992-07) | Uninterruptible power systems (UPS) - Part 2: Electromagnetic Compatibility (EMC) requirements |
| ANSI C63.10-2009 | American National Standard for Testing Unlicensed Wireless Devices |
| ANSI C63.10 (2013) | American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices |
| ANSI C63.26 (2015) | American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services |
| AS CISPR 11 (2017) | Industrial, scientific and medical equipment—Radio-frequency disturbance characteristics—Limits and methods of measurement (CISPR 11:2015 +AMD1:2016 (ED.6.1) MOD) |
| IEC/CISPR 11 Ed. 6.0 (2015) | Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement |
| IEC/CISPR 11 Ed. 6.0 (2015) + A1 (2016) | Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement |
| AS/NZS CISPR 11 (2011) | Industrial, scientific and medical (ISM) radio frequency equipment - Electromagnetic disturbance characteristics - Limits and methods of measurement |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| IEC/CISPR 11, Ed. 4.1 (2004-06) + A2 (2006) | Industrial, scientific and medical (ISM) radio frequency equipment - Electromagnetic disturbance characteristics - Limits and methods of measurement |
|---|---|
| IEC/CISPR 11 Ed 5 (2009-05) + A1 (2010) | Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement |
| AS/NZS CISPR 12 (2013) | Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of off-board receivers |
| CISPR 12 (2007) + A1 (2009) | Vehicles, boats and internal combustion engine driven devices - Radio disturbance characteristics |
| CISPR 13, Edition 4.2 (2006-03) | Sound and broadcast receivers and associated equipment - Radio disturbance characteristics - Limits and methods of measurement |
| IEC/CISPR 13, Ed. 5.0 (2009-06) | Sound and television broadcast receivers and associated equipment - Radio disturbance characteristics - Limits and methods of measurement |
| IEC/CISPR 14-1 (2016) | Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission |
| IEC/CISPR 14-1, Ed. 5.0 (2005) | Electromagnetic Compatibility - Requirements for Household Appliances, Electric Tools and Similar Apparatus - Part 1: Emission |
| IEC/CISPR 14-1, Ed. 5.0 (2005) + A1 (2008) + A2 (2011) | Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission |
| IEC CISPR 15 (2018) | Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment |
| CISPR 15 (2009) | Limits and methods of measurements of radio disturbance characteristics of electrical lighting and similar equipment |
| IEC/CISPR 22, Edition 5 (2005) + A1(2005) + A2 (2006) | Information Technology Equipment - Radio Disturbance Characteristics - Limits and Methods of Measurement |
| IEC/CISPR 22 Ed. 6.0 (2008-09) | Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment |
| AS/NZS CISPR 22 (2009) | Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement |
| AS/NZS CISPR 22 (2009) +A1 (2010) | Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement |
| IEC/CISPR 25 (2016) | Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receiver |
| IEC/CISPR 25, Ed. 3.0 (2008-03) | Radio disturbance characteristics for the protection of receivers used on board vehicles, boats, and on devices - Limits and methods of measurement |
| CISPR 32 (2015) | Electromagnetic compatibility of multimedia equipment - Emission requirements |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| AS/NZS CISPR 32 (2013) | Electromagnetic compatibility of multimedia equipment - Emission requirements |
|--|--|
| AS/NZS CISPR 32 (2015) | Electromagnetic compatibility of multimedia equipment - Emission requirements |
| CISPR 32, Ed. 1 (2012-01) | Electromagnetic compatibility of multimedia equipment - Emission requirements |
| ANSI C63.4 (2009) with FCC Method - 47 Part 11. | Emergency Alert System (EAS) |
| ANSI C63.4 (2014) | Unintentional Radiators in 47 CFR FCC Part 15, Subpart B |
| ANSI C63.4 (2009) | Unintentional Radiators in 47 CFR FCC Part 15, Subpart B |
| ANSI C63.10 (2013) | Intentional Radiators in 47 CFR FCC Part 15, Subpart C |
| ANSI C63.10 (2013) | Intentional Radiators (up to 26.5 GHz) in 47 CFR FCC Part 15, Subpart C |
| ANSI C63.10 (2013) | Intentional Radiators (over 26.5 GHz) in 47 CFR FCC Part 15, Subpart C |
| FCC KDB 905462 (April 8, 2016) | Compliance measurement procedures for unlicensed-national information infrastructure (U-NII) devices operating in the 5250-5350 MHz and 5470-5725 MHz bands incorporating dynamic frequency selection; FCC Part 15 Subpart E |
| FCC KDB 789033 (June 6, 2014) | Guidlines for Compliance Testing of Unlicensed National Information Infrastructure (UNII) Devices Part 15, Subpart E |
| FCC KDB 905462 (May 15, 2015) | Compliance measurement procedures for unlicensed-national information infrastructure devices operating in the 5250-5350 MHz and 5470-5725 MHz bands incorporating dynamic frequency selection |
| ANSI C63.10 (2013) | Unlicensed National Information Infrastructure Devices without DFS Intentional Radiators in 47 CFR FCC Part 15, Subpart E |
| FCC KDB 789033 (April 8, 2016) | Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (UNII) Devices Part15, Subpart E |
| Dynamic Frequency Selection (DFS): June 2006 | Memorandum Opinion and Order, Appendix, ET Docket No. 03-122- June 30, 2006 with 47 CFR FCC Part 15, Subpart E: Intentional Radiators. |
| ANSI C63.10 (2013) | Ultra-Wideband Operation Intentional Radiators in 47 CFR FCC Part 15, Subpart F |
| ANSI C63.10 (2013) | Access Broadband Over Power Line (Access BPL) Intentional Radiators in 47 CFR FCC Part 15, Subpart G |
| ANSI C63.10 (2013) | White Space Device Intentional Radiators in 47 CFR FCC Part 15, Subpart H |
| FCC OST/MP-5 (1986) | FCC Methods of Measurement of Radio Noise Emissions for ISM Equipment (cited in 47 CFR FCC Part 18 - Industrial, Scientific, and Medical Equipment) |
| ICES-001 Issue 4 (2006) | Industrial, Scientific and Medical (ISM) Radio Frequency Generators |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ICES-002 Issue 6, A1 (Mar 2013) | Vehicles, Boats and Other Devices Propelled by an Internal Combustion Engine, Electrical Means or Both; Includes updates on e-labelling (Nov 2014) and diesel engine transition period (Feb 2017) |
|--|---|
| ICES-003 Issue 6 (2016) | Information Technology Equipment (ITE) - Limits and methods of measurement |
| ICES-003 Issue 4 (2004) | Implementation and Interpretation of the Interference-Causing Equipment Standard for Digital Apparatus. (Industry Canada) |
| ICES-003 Issue 5 (2012) | Information Technology Equipment (ITE) - Limits and methods of measurement |
| ICES-005 Issue 4 (Dec 2015) | Radio Frequency Lighting Devices |
| ICES-005 Issue 3 (May 2009) | Radio Frequency Lighting Devices |
| ICES-006 Issue 2 (2009) | AC Wire Carrier Current Devices (Unintentional Radiators) |
| KN 11 (Annex 2) with RRA Announce 2012-21 (Jun. 28, 2012) | Test Method for Electromagnetic Interference; With KN 11 (Annex 2). K Only |
| KN 11 (Annex 2) with RRA Announce 2013-24 (June 17, 2013) | Test Method for Electromagnetic Interference; With KN 11 (Annex 2) Korean Only |
| KN 14-1 (Annex 4) with RRA Announce 2012-21 (Jun. 28, 2012) | Test Method for Electromagnetic Interference; (RRA Announce 2012-21, June 28, 2012) K only |
| KN 14-1 (Annex 4) with RRA Announce 2013-24 (Jun. 17 2013) | Test Methods for Electromagnetic Interference (RRA Announce 2013-24, June 17, 2013) Korean only |
| KN 22 (Annex 5) with RRA Announce 2012-21 (Jun. 28, 2012) | Test Methods for Electromagnetic Interference (RRA Announce 2012-21, June 28, 2012) K only |
| KN 22 (Annex 5) with RRA Announce 2013-24 (June 17, 2013) | Test Method for Electromagnetic Interference (RRA Announce 2013-24, June 17, 2013) Korean only |
| KN 32:2015 (Annex 11) | Test Methods of radio disturbance for multimedia equipment |
| KN 32:2013 (Annex 16) | Test Methods of radio disturbance for multimedia equipment |
| QCVN 118 (2018): BTTTT | National technical regulation on Electromagnetic compatibility of multimedia equipment - Emission requirements |
| RRA Public Notification 2011-24 (Dec. 23, 2011) | Technical Requirements for Electromagnetic Interference; Korea only |
| RRA 2013-3 and 2013-24, June 17, 2013, Korean only | Technical Requirements and Test Methods for Electromagnetic Interference; K only (See specific Annexes listed on scope) |
| RRA Announce 2013-24, June 17, 2013;Korean only | Test Methods for Electromagnetic Interference using KN 16-1-1, KN 16-1-2, KN 16-1-3, KN 16-1-4, KN 16-1-5, KN 16-2-1, KN 16-2-2, KN 16-2-3, KN 16-2-4 (2008-05) |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

NVLAP LAB CODE 201049-0

| RRA Public Notification 2015-27 (Dec. 03 2015) | Technical Requirements for Electromagnetic Compatibility; Korea only |
|---|---|
| RRA Announce 2015-110 (Dec. 3, 2015) | Test Methods for Electromagnetic Compatibility; Korea only |
| RRA Public Notification 2016-26 (Dec.19 2016) | Technical Requirements for Electromagnetic Compatibility; Korea only |
| RRA Announce 2016-79 (Dec.19 2016) | Test Methods for Electromagnetic Compatibility |
| RRA Public Notification 2017-19 (Dec. 28, 2017) | Technical Requirements for Electromagnetic Compatibility, Korean only |
| RRA Announce 2017-71 (Dec. 28, 2017) | Test Methods for Electromagnetic Compatibility, Korean (See specific annexes listed on scope) |
| SI 961 part 6.1 | Electromagnetic compatibility: Information technology equipment - Radio frequency interference characteristics-Limits and methods of measurements |
| VCCI-CISPR 32 (Nov 2016) | Agreement of VCCI Council - Technical Requirements: VCCI-CISPR 32:2016 (including radiated disturbance above 1 GHz) |
| Agreement of VCCI V-3 (2014.04) | Agreement of VCCI Council - Technical Requirements: V-3/2014.04 (including radiated disturbance above 1 GHz) |
| Agreement of VCCI V-3 (2015.04) | Agreement of VCCI Council - Technical Requirements: V-3/2015.04 (including radiated disturbance above 1 GHz) |

Immunity

| <u>Designation</u> | <u>Description</u> |
|---|---|
| ISO 14117 (2012) Sec. 4 | Active implantable medical devices - Electromagnetic compatibility - EMC test protocols for implantable cardiac pacemakers, implantable cardioverter defibrillators and cardiac resynchronization devices |
| ISO 14708-3 (2008); Clause 24 - ESD | Implants for surgery Active implantable medical devices Part 3: Implantable neurostimulators - Clause 24 ESD |
| ISO 14708-3 (2008); Clause 27 - Radiated Immunity | Implants for surgery Active implantable medical devices Part 3: Implantable neurostimulators - Clause 27 Radiated Immunity |
| ISO 14708-3 (2017) Sec. 27 | Implants for surgery - Active implantable medical devices - Part 3: Implantable neurostimulators |
| KN 301 489-01 (Annex 8-1);RRA Announce 2012-22(Jun. 28,2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 301 489-1 (Annex 8-1) w/ RRA Announce 2013-25 (6/17/13) | Test Method for Electromagnetic Susceptibility; With KN 301 489-1 (Annex 8-1) Korean Only |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| KN 301 489-03 (Annex 8-8); RRA Announce 2012-22(Jun.28,2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
|---|--|
| KN 301 489-03 (Annex 8-8); RRA Announce 2013-25(Jun.17,2013) | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) K only |
| KN 301 489-07 (Annex 8-2); RRA Announce 2012-22(Jun 28,2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 301 489-7 (Annex 8-2) w/ RRA Announce 2013-25 (6/17/13) | Test Method for Electromagnetic Susceptibility; With KN 301 489-7 (Annex 8-2) Korean Only |
| KN 301 489-17 (Annex 8-3); RRA Announce 2012-22(Jun 28,2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 301 489-17 (Annex 8-3) w/ RRA Announce 2013-25 (6/17/13) | Test Method for Electromagnetic Susceptibility; With KN 301 489-17 (Annex 8-3) Korean Only |
| KN 301 489-24 (Annex 8-4); RRA Announce 2012-22(Jun 28,2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 301 489-24 (Annex 8-4); RRA Announce 2013-25(Jun 17,2013) | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) K only |
| EN 45502-2-2 (2008), Clause 24 and Clause 27 | Active implantable medical devices. Particular requirements for active implantable medical devices intended to treat tachyarrhythmia (includes implantable defibrillators) - Clause 24 (ESD) and 27 (Immunity) |
| EN 45502-2-3 (2010), Clause 27 | Active implantable medical devices: Particular requirements for cochlear and auditory brainstem implant systems |
| EN 45502-2-1 (2003), Clause 27 | Active implantable medical devices: Particular requirements for active implantable medical devices intended to treat bradyarrhythmia (cardiac pacemakers) |
| EN 50130-4 (1995) + A1(1998) & A2(2003) | Alarm systems - Part 4. Electromagnetic compatibility - Product family standard: Immunity requirements for components of fire, intruder and social alarm systems |
| EN 50130-4 (2011) | Alarm systems. Electromagnetic compatibility. Product family standard. Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems |
| EN 50130-4 (2011) + A1 (2014) | Alarm systems. Electromagnetic compatibility. Product family standard. Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems |
| EN 55014-2 (1997) +A1 (2001) + A2 (2008) | Electromagnetic compatibility. Requirements for household appliances, electric tools and similar apparatus. Immunity |
| EN 55020 (2007) + A12 (2016) | Sound and television broadcast receivers and associated equipment. Immunity characteristics. Limits and methods of measurement |
| EN 55020 (2007-01) + A11 (2011) | Sound and television broadcast receivers and associated equipment - immunity characteristics - Limits and methods of measurement |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| EN 55024 (2010) | Information technology equipment. Immunity characteristics. Limits and methods of measurement |
|---|--|
| EN 55035 (2017) | Electromagnetic Compatibility Of Multimedia Equipment - Immunity Requirements (Cispr 35:2016, Modified) |
| EN 55103-2 (1996) | Electromagnetic compatibility - Product family standard for audio, video, audio-visual and entertainment lighting control apparatus for professional use - Part 2: Immunity |
| EN 55103-2 (2009) | Electromagnetic compatibility - Product family standard for audio, video, audio-visual and entertainment lighting control apparatus for professional use - Part 2: Immunity |
| KN 60601-1-2 (Annex 2), RRA 2012-22, K only (Jun. 28, 2012) | Conformity Assessment Procedure for Electromagnetic Susceptibility (K only) |
| KN 60601-1-2 (Annex 2), RRA 2013-25, K only (Jun. 17, 2013) | Conformity Assessment Procedure for Electromagnetic Susceptibility (K only) |
| EN 60945 (2002) and IEC 60945 (2002) | Maritime navigation and radiocommunication equipment and systems - General requirements - Methods of testing and required test results |
| EN 61000-6-7 (2015) | Electromagnetic compatibility (EMC). Generic standards. Immunity requirements for equipment intended to perform functions in a safety-related system (functional safety) in industrial locations |
| IEC 61000-6-7 (2014) | Electromagnetic Compatibility (EMC) - Part 6-7: Generic Standards - Immunity Requirements for Equipment Intended to Perform Functions in a Safety-Related System (Functional Safety) in Industrial Locations |
| IEC 61000-4-2, Ed. 2.0 (2008-12) | Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test |
| KN 61000-4-2 (Annex 1-1) RRA Announce 2012-22(Jun. 28, 2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 61000-4-2 (Annex 1-1) RRA Announce 2013-25 (June 17, 2013 | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
| IEC 61000-4-3, Ed. 3.0 (2006-02) + A1 (2007) + A2 (2010) | Electromagnetic compatibility (EMC) - Part 4-3: Testing measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test |
| EN 61000-4-3 (2006) +A1 (2008) + A2 (2010) | Electromagnetic compatibility (EMC). Testing and measurement techniques. Radiated, radio- Frequency, electromagnetic field immunity test |
| IEC 61000-4-3, Ed. 3.1 (2008-04) | Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test |
| IEC 61000-4-3 Ed. 3.2 (2010) | Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test |
| KN 61000-4-3 (Annex 1-2) RRA Announce 2012-22(Jun. 28, 2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| KN 61000-4-3 (Annex 1-2) RRA Announce 2013-25 (June 17, 2013 | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
|---|--|
| IEC 61000-4-4, Ed. 2.0 (2004-07) | Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test |
| IEC 61000-4-4, Ed. 2.0 + A1 (2010) | Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical Fast Transient/Burst Immunity Test |
| IEC 61000-4-4 (2012-04) | Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test |
| KN 61000-4-4 (Annex 1-3) RRA Announce 2012-22(Jun. 28, 2012) | Test Methods for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 61000-4-4 (Annex 1-3) RRA Announce 2013-25 (June 17, 2013 | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
| IEC 61000-4-5 Ed. 3.0 (May 2014) | Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test |
| IEC 61000-4-5 (2014) + A1 (2017) | Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test |
| EN 61000-4-5 (2014) + A1 (2017) | Electromagnetic compatibility (EMC). Testing and measurement techniques. Surge immunity test |
| IEC 61000-4-5 Ed. 3.1 (2017) | Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test |
| IEC 61000-4-5, Ed 1.1 (2005-11) | EMC - Part 4-5: Testing and measurement techniques - Surge immunity test |
| KN 61000-4-5 (Annex 1-4) RRA Announce 2012-22(Jun. 28, 2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 61000-4-5 (Annex 1-4) RRA Announce 2013-25 (June 17, 2013 | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
| IEC 61000-4-6 Ed. 3.0 (2008) | Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields |
| IEC 61000-4-6 Ed. 4.0 (2013) | Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields |
| KN 61000-4-6 (Annex 1-5) RRA Announce 2012-22(Jun. 28, 2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 61000-4-6 (Annex 1-5) RRA Announce 2013-25 (June 17, 2013 | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
| IEC 61000-4-8, Ed. 1.1 (2001); EN 61000-4-8 | Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| IEC 61000-4-8 (2009) | Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test |
|---|--|
| EN 61000-4-8 (2010) | Electromagnetic compatibility (EMC). Testing and measurement techniques. Power frequency magnetic field immunity test |
| KN 61000-4-8 (Annex 1-6) RRA Announce 2012-22(Jun. 28, 2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 61000-4-8 (Annex 1-6) RRA Announce 2013-25 (June 17, 2013 | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
| BS EN 61000-4-9 (2016) | Electromagnetic compatibility (EMC). Testing and measurement techniques. Impulse magnetic field immunity test |
| IEC 61000-4-9 (2016) | Electromagnetic compatibility (EMC) - Part 4-9: Testing and measurement techniques - Impulse magnetic field immunity test |
| IEC 61000-4-10 (2016) | Electromagnetic compatibility (EMC) - Part 4-10: Testing and measurement techniques - Damped oscillatory magnetic field immunity test |
| IEC 61000-4-11, Edition 2.1 (2017) | Electromagnetic Compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests |
| EN 61000-4-11 (2014) + A1 (2017) | Electromagnetic compatibility (EMC). Testing and measurement techniques. Voltage dips, short interruptions and voltage variations immunity tests |
| IEC 61000-4-11, Ed. 2 (2004-03) & EN 61000-4-11 | Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests |
| KN 61000-4-11 (Annex 1-7) RRA Announce 2012-22(Jun.28, 2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 61000-4-11 (Annex 1-7) RRA Announce 2013-25(June 17, 2013 | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
| IEC 61000-4-13 Ed. 1.1 (2002) + A1 (2009) + A2 (2015) | Electromagnetic compatibility (EMC) - Part 4-13: Testing and measurement techniques - Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests |
| IEC 61000-4-14:1999+AMD1:2001 +AMD2:2009 | Electromagnetic compatibility (EMC) - Part 4-14: Testing and measurement techniques - Voltage fluctuation immunity test |
| BS EN 61000-4-16 (2016) | Electromagnetic compatibility (EMC). Testing and measurement techniques. Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz |
| IEC 61000-4-16 Ed. 2.0 (2015) | Electromagnetic compatibility (EMC) - Part 4-16: Testing and measurement techniques - Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz |
| EN 61000-4-17:1999+A2:2009 | Electromagnetic compatibility (EMC). Testing and measurement techniques. Ripple on d.c. input power port immunity test |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| IEC 61000-4-17 Ed. 1.2 (2009) | Electromagnetic compatibility (EMC) - Part 4-17: Testing and measurement techniques - Ripple on d.c. input power port immunity test |
|---|--|
| IEC 61000-4-28 (1999) + A1 (2001) + A2 (2009) | Electromagnetic compatibility (EMC) - Part 4-28: Testing and measurement techniques - Variation of power frequency, immunity test for equipment with input current not exceeding 16 A per phase |
| IEC 61000-4-29 (2000) | Electromagnetic compatibility (EMC) - Part 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests |
| EN 61000-4-29 (2001), IEC 61000-4-29 (2000) | Electromagnetic compatibility (EMC). Testing and measurement techniques. Testing and measurement techniques. Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests. Voltage dips, short interruptions and voltage variations on d.c.input power ports. Immunity tests. Basic EMC Publication. |
| IEC 61000-6-1 (2016) | Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity standard for residential, commercial and light-industrial environments |
| IEC 61000-6-1, 2nd edition (2005-03) | Electromagnetic compatibility (EMC) - Part 6: Generic standards - Section 1: Immunity for residential, commercial and light-industrial environments |
| EN 61000-6-1 (2007) | Electromagnetic compatibility (EMC) - Part 6 - 1: Generic standards - Immunity for residential, commercial and light-industrial environments |
| KN 61000-6-1 (Annex 11); RRA Announce 2012-22 (Jun 28, 2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 61000-6-1 (Annex 11); RRA Announce 2013-25 (Jun 17, 2013) | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
| EN 61000-6-2 (2005) + AC (2005) | Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments |
| IEC 61000-6-2 (2016) | Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity standard for industrial environments |
| EN 61000-6-2 (2016) | Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity standard for industrial environments |
| IEC 61000-6-2, Edition 2.0 (2005-01) | Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments |
| EN 61000-6-2 (2005) | Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments |
| KN 61000-6-2(Annex 14); RRA Announce 2012-22 (Jun.28,2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 61000-6-2 (Annex 14) w/ RRA Announce 2013-25 (6/17/13) | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) Korean only |
| | |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| IEC 61131-2 (2017) Sec. 7.3 | Industrial-process Measurement and Control - Programmable Controllers - Part 2: Equipment Requirements and Tests |
|--|---|
| EN 61326-1(2006) | Electrical equipment for measurement, control and laboratory use - EMC requirements |
| EN 61326-1 (2013) | Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements |
| IEC 61326-2-6 Ed. 2.0 (2012) | Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-6: Particular requirements - In vitro diagnostic (IVD) medical equipment |
| IEC 61326-3-1 (2017) | Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) - General industrial applications |
| IEC 61326-3-1 (2008) | Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) - General industrial applications |
| TCVN 7317:2003 (CISPR 24:1997) | ElectroMagnetic Compatibility (EMC) - Telecommunications Terminal Equipment - Electromagnetic immunity Requirements |
| AIM 7351731 (2017) | Medical Electrical Equipment & System Electromagnetic Immunity Test for RFID Readers |
| IEC/CISPR 14-2 Ed. 2. (2015) | Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard |
| IEC/CISPR 14-2 Ed. 1.2 (2008) | Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard |
| IEC/CISPR 14-2 (2001) Ed. 4 and EN 55014-2 | Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard |
| CISPR 16-2-3 (2016) | Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance measurements |
| CISPR TR 16-3 Ed. 3 (2015-09) | Specification for radio disturbance and immunity measuring apparatus and methods – Part 3: CISPR technical reports |
| CISPR 20 (2006) +A1 (2013) | Sound and television broadcast receivers and associated equipment - Immunity characteristics - Limits and methods of measurement |
| IEC/CISPR 20 (2006) | Sound and television broadcast receivers and associated equipment - Immunity characteristics - Limits and methods of measurement |
| IEC/CISPR 24 (1997) and EN 55024 (1998) + A1(2001), A2(2003) | Information technology equipment - Immunity characteristics - Limits and methods of measurement |
| CISPR 35 (2016) | Electromagnetic compatibility of multimedia equipment - Immunity requirements |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

NVLAP LAB CODE 201049-0

| SAE J1113-11 (2017-06) | Immunity to Conducted Transients on Power Leads |
|--|--|
| SAE J1113-12 (2017-11) | Electrical Interference by Conduction and Coupling |
| KN 14-2 (Annex 4) RRA Announce 2014-92 (Dec29,2014) | Test Methods for Electromagnetic Susceptibility (RRA Announce 2014-92, Dec 29, 2014) Korean only |
| KN 14-2 (Annex 4) RRA Announce 2013-25(June 17, 2013) | Conformity Assessment Procedure for Electromagnetic Susceptibility; with KN 14-2 (Annex 4); K only |
| KN 24 (Annex 5) with RRA Announce 2012-22 (Jun. 28, 2012) | Test Method for Electromagnetic Susceptibility (RRA Announce 2012-22, June 28, 2012) K only |
| KN 24 (Annex 5) with RRA Announce 2013-25 (Jun. 17, 2013) | Test Method for Electromagnetic Susceptibility (RRA Announce 2013-25, June 17, 2013) K only |
| KN 35:2015 (Annex 15) | Electromagnetic compatibility of multimedia equipment - Immunity Requirements |
| Lloyd's Register - LR Type Approval System | Test Specification Number 1 (2002) |
| Lloyd's Register - LR Type Approval System | Test Specification Number 1 (2013) |
| Lloyd's Register - LR Type Approval System | Test Specification Number 1 (2015) |
| ANSI/AAMI PC69 (2007); (Sections 4.8 and 4.9 only) | Active implantable medical devices - Electromagnetic compatibility: EMC test Protocols for Implatable cardiac pacemakers and implantable cardioverter devibrillators |
| RRA 2013-04 and RRA 2013-25, June 17, 2013, Korean only | Technical Requirements and Test Methods for Electromagnetic Susceptibility; Korean only (See specific Annexes listed on scope) |
| SI 961 part 6.2 | Electromagnetic compatibility: Information technology equipment - Immunity characteristics - Limits and methods of measurements |

Product Safety

| 1 Todact Safety | |
|-------------------------------|---|
| <u>Designation</u> | Description |
| EN 13611 (2015) + A1 (2016) | Safety and control devices for burners and appliances burning gaseous and/or liquid fuels. General requirements |
| ISO 14708-4:2008 | Implants for surgery Active implantable medical devices Part 4: Implantable infusion pumps |
| | Section 27 |
| EN 298 (2012) | Automatic burner control systems for burners and appliances burning gaseous or liquid fuels |
| EN 50156-1 (2015) + A1 (2016) | Electrical equipment for furnaces and ancillary equipment. Requirements for application design and installation |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| IEC 60335-1 Ed. 5.2 (2016) | Household and similar electrical appliances - Safety - Part 1:General requirements |
|---|--|
| IEC 60601-1-2, Ed. 4, (2014-02) | Medical electrical equipment-Part 1-2: General requirements for basic safety and essential performance-Collateral Standard: Electromagnetic disturbances-Requirements and tests |
| IEC 60601-1-2, Ed 2.1 (2004-11) & EN 60601-1-2 (2002) | Medical electrical equipment - Part 1-2: General requirements for safety - Collateral standard: Electromagnetic compatibility - Requirements and tests |
| IEC 60601-1-2, Ed. 3.0 (2007) | Medical electrical equipment - Part 1-2: General requirements for safety - Collateral standard: Electromagnetic compatibility - Requirements and tests |
| EN 60601-1-2 (2007) | Medical electrical equipment - Part 1-2: General requirements for safety - Collateral standard: EMC - Requirements and tests |
| IEC 60601-2-2 (2017) | Medical electrical equipment - Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories |
| IEC 60601-2-2 Ed. 5.0 (2009) | Medical electrical equipment - Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories |
| IEC 60601-2-4 ed3.0 (2010), Clause 202 | Medical electrical equipment - Part 2-4: Particular requirements for the basic safety and essential performance of cardiac defibrillators |
| EN 60601-2-4 (2003), Clause 202 | Medical electrical equipment. Particular requirements for safety. Particular requirements for the safety of cardiac defibrillators |
| IEC 60601-2-50, Ed. 2.1 (2016) | Medical electrical equipment - Part 2-50: Particular requirements for the basic safety and essential performance of infant phototherapy equipment |
| EN 60601-2-24 (1998) | Medical electronic equipment Part 2-24: Particular requirements for the safety of infusion pumps and controllers |
| IEC 60601-2-25 ed 2.0, (2011-10), Clause 202 | Medical electrical equipment - Part 2-25: Particular requirements for the basic safety and essential performance of electrocardiographs |
| IEC 60601-2-26 (2003); EN 60601-2-26 (2003) | Medical Electrical Equipment Part - 2-26: Particular Requirements for the Safety of Electroencephalographs |
| IEC 60601-2-26, Ed. 2.0 (2002-11) | Medical Electrical Equipment - Part 2-26: Particular Requirements for the Safety of Electroencephalographs |
| IEC 60601-2-26 ed3.0 (2012-05) | Medical electrical equipment - Part 2-26: Particular requirements for the basic safety and essential performance of electroencephalographs |
| EN 60601-2-27:2006 | Medical electrical equipment - Part 2-27: Particular requirements for the safety, including essential performance, of electrocardiographic monitoring equipment |
| IEC 60601-2-27 ed3.0 (2011), Clause 202 | Medical electrical equipment - Part 2-27: Particular requirements for the basic safety and essential performance of electrocardiographic monitoring equipment |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| IEC 60601-2-30 (1999), EN 60601-2-30 (2000) | Particular requirements for the safety including essential performance, of automatic cycling non-invasive blood pressure monitoring equipment |
|---|--|
| IEC 60601-2-31 (2008) + A1 (2011) | Medical electrical equipment - Part 2-31: Particular requirements for the basic safety and essential performance of external cardiac pacemakers with internal power source |
| IEC 60601-2-34 (2011) | Medical electrical equipment - Part 2-34: Particular requirements for the basic safety and essential performance of invasive blood pressure monitoring equipment |
| EN 60601-2-37 (2008) | Medical electrical equipment - Part 2-37: Particular requirements for the safety of ultrasonic medical diagnostic and monitoring equipment |
| IEC 60601-2-47 (2006), EN 60601-2-47(2001) | Particular requirements for the safety, including essential performance, of ambulatory electrocardiographic systems |
| IEC 60601-2-47 Ed. 2.0 (2012-02), Clause 202 | Medical electrical equipment - Part 2-47: Particular requirements for the basic safety and essential performance of ambulatory electrocardiographic systems |
| IEC 60601-2-49 (2011) Clause 202 | Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitoring equipment |
| EN 60601-2-49 (2015); Clause 202 | Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitoring equipment |
| IEC 60601-2-49 ed2.0 (2011), Clause 202 | Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitoring equipment |
| EN 61131-6 (2013) | Programmable controllers. Functional safety |
| IEC 61131-6 (2012) | Programmable controllers - Part 6: Functional safety |
| IEC 62040-1-2 (2002) | Uninterruptible power systems (UPS) Part 1-2: General and safety requirements for UPS used in restricted access locations |
| IEC 80601-2-49 (2018) Clause 202 | Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors |
| IEC 80601-2-30 (2018) | Medical electrical equipment Part 2-30: Particular requirements for basic safety and essential performance of automated non-invasive sphygmomanometers |
| ISO 80601-2-55 (2018) Clause 202 | Medical electrical equipment - Part 2-55: Particular requirements for the basic safety and essential performance of respiratory gas monitors |
| ISO 80601-2-61 (2017) Clause 202 | Medical electrical equipment - Part 2-61: Particular requirements for basic safety and essential performance of pulse oximeter equipment |
| ISO 80601-2-61 (2011), Clause 202 | Medical electrical equipment - Part 2-61: Particular requirements for basic safety and essential performance of pulse oximeter equipment |
| ISO 9919 ed2.0 (2005), Clause 36 | Medical electrical equipment - Particular requirements for the basic safety and essential performance of pulse oximeter equipment for medical use |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

NVLAP LAB CODE 201049-0

Radio

| <u>Designation</u> | Description |
|---|---|
| ETSI EN 300 220-1 V3.1.1 (2017-02) | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 1: Technical characteristics and methods of measurement |
| ETSI EN 300 220-1 V2.3.1 (2010-02) | Electromagnetic Compatibility Radio Spectrum Matters; Short Range Devices; Radio Equipment to be used in the 25 MHz to 1,000 MHz Frequency Range with Power Levels Ranging up to 500mW; Part 1: Technical Characteristics and Test Methods |
| ETSI EN 300 220-1 V2.4.1 (2012-05) | (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 1: Technical characteristics and test methods |
| ETSI EN 300 220-2 V3.1.1 (2017-02) | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 2: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU for non specific radio equipment |
| ETSI EN 300 220-2 V2.1.2 (2007-06) | ERM; Short Range Devices; Radio Equipment to be used in the 25MHz to 1,000 MHz Frequency Range with Power Levels Ranging up to 550 mW; Part 2: Supplementary Parameters Not Intended for Conformity Purposes |
| ETSI EN 300 220-2 V2.4.1 (2012-05) | (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive |
| ETSI EN 300 220-3-1 V2.1.1 (2016-12) | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 3-1: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Low duty cycle high reliability equipment, social alarms equipment operating on designated frequencies (869,200 MHz to 869,250 MHz) |
| ETSI EN 300 220-3-2 V1.1.1 (2017-02) | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 3-2: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Wireless alarms operating in designated LDC/HR frequency bands 868,60 MHz to 868,70 MHz, 869,25 MHz to 869,40 MHz, 869,65 MHz to 869,70 MHz |
| ETSI EN 300 220-4 V1.1.1 (2017-02) | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 4: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Metering devices operating in designated band 169,400 MHz to 169,475 MHz |
| ETSI EN 300 328 V2.1.1 (2016-11) | Wideband transmission systems; Data transmission equipment operating in the 2.4 GHz ISM band and using wide band modulation techniques; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 300 328 V1.9.1 (2015-02) | ERM; Wideband Transmission Systems; Data transport equipment operating in the 2.4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive |
| ETSI EN 300 328 V1.7.1 (2006-10) | ERM; Wideband Transmission Systems; Data transport equipment operating in the 2.4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ETSI EN 300 328 V1.8.1 (2012-06) | ERM; Wideband Transmission Systems; Data transport equipment operating in the 2.4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive |
|------------------------------------|---|
| ETSI EN 300 330 V2.1.1 (2017-02) | Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 300 330-1 V1.8.1 (2015-03) | ERM; Short Range Devices; Radio Equipment in the Frequency Range 9kHz to 25 MHz and Inductive Loop Systems in the Frequency Range 9kHz to 30 MHz; Part 1: Technical Characteristics and Test Methods |
| ETSI EN 300 330-1 V1.7.1 (2010-02) | ERM; Short Range Devices; Radio Equipment in the Frequency Range 9kHz to 25 MHz and Inductive Loop Systems in the Frequency Range 9kHz to 30 MHz; Part 1: Technical Characteristics and Test Methods |
| ETSI EN 300 330-2 V1.6.1 (2015-03) | ERM; Short Range Devices (SRD); Radio Equipment in the Frequency Range 9kHz to 30 MHz; Part 2: Harmonized EN Under Article 3.2 of the R&TTE Directive |
| ETSI EN 300 330-2 V1.3.1 (2006-04) | ERM; Short Range Devices (SRD); Radio Equipment in the Frequency Range 9kHz to 30 MHz; Part 2: Harmonized EN Under Article 3.2 of the R&TTE Directive |
| ETSI EN 300 330-2 V1.5.1 (2010-02) | ERM; Short Range Devices (SRD); Radio Equipment in the Frequency Range 9kHz to 30 MHz; Part 2: Harmonized EN Under Article 3.2 of the R&TTE Directive |
| ETSI EN 300 422-1 V2.1.1 (2016-09) | Wireless Microphones; Audio PMSE up to 3 GHz; Part 1: Class A Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 300 422-1 V2.1.2 (2017-01) | Wireless Microphones; Audio PMSE up to 3 GHz; Part 1: Class A Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 300 422-2 V2.1.1 (2017-02) | Wireless Microphones; Audio PMSE up to 3 GHz; Part 2: Class B Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 300 422-3 V2.1.1 (2017-02) | Wireless Microphones; Audio PMSE up to 3 GHz; Part 3: Class C Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 300 422-4 V2.1.1 (2017-05) | Wireless Microphones; Audio PMSE up to 3 GHz; Part 4: Assistive Listening Devices including personal sound amplifiers and inductive systems up to 3 GHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 300 440 V2.1.1 (2017-03) | Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 300 440-2 v1.4.1 (2010-08) | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive |
| ETSI EN 301 166 V2.1.1 (2016-11) | Land Mobile Service; Radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrow band channels and having an antenna connector; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ETSI EN 301 166-1 V1.3.2 (2009-11) | ERM; Land Mobile Service: Radio equipment for analogue and/or digital communication and operating on narrow band channels and having an antenna connector; Part 1: Technical characteristics and methods of measurement |
|---------------------------------------|---|
| ETSI EN 301 166-2 V1.2.2 (2008-08) | ERM; Land Mobile Service; Radio equipment for analogue and/or digital communication and operating on narrow band channels and having an antenna connector; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE |
| ETSI EN 301 166-2 V1.2.3 | ERM; Land Mobile Service; Radio equipment of the analogue and/or digital communication and operating on narrow band channels and having an antenna connector; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&T |
| ETSI EN 301 357 V2.1.1 (2017-06) | Cordless audio devices in the range 25 MHz to 2 000 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 301 357-1 V1.4.1 (2008-11) | ERM; Cordless Audio Devices in the Range 25 MHz to 2,000 MHz; Part 1: Technical Characteristics and Test Methods |
| ETSI EN 301 357-2 v1.4.1 (2007-12) | ERM; Cordless Audio Devices in the Range 25 MHz to 2,000 MHz. Part 2: Harmonized EN covering essential requirements of 3.2 of the R&TTE Directive |
| ETSI EN 301 489-1 V2.1.1 (2017-02) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU and the essential requirements of article 6 of Directive 2014/30/EU |
| ETSI EN 301 489-1 V1.8.1 (2008-04) | ERM; ElectroMagnetic Compatibilty (EMC); Standard for Radio Equipment and Services; Part 1: Common Technical Requirements |
| ETSI EN 301 489-1 V1.9.2 (2011-09) | Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements |
| ETSI EN 301 489-3 V2.1.1 (2019-03) | Electromagnetic compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9kHz and 246 GHz; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU |
| ETSI EN 301 489-3 v1.4.1 (2002-08) | Electromagnetic compatibility and Radio spectrum Matters; ElectroMagnetic Compatibility standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz |
| ETSI EN 301 489-3 V1.6.1 (2013-08) | Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz |
| ETSI EN 301 489-5 V2.1.1 (2016-11) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 5: Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech) and Terrestrial Trunked Radio (TETRA); Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ETSI EN 301 489-5 v1.3.1 (2002-08) | Electromagnetic compatibility & Radio spectrum Matters (ERM); EMC standard for radio equipment and services; Part 5: Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech) |
|--|---|
| ETSI EN 301 489-6, V2.1.1 (2016-11) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 6: Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU |
| ETSI EN 301 489-7 v1.3.1 (2005-11) | ERM; EMC standard for radio equipment and services; Part 7: Specific conditions for mobile and portable radio and ancillary equipment of digital cellular radio telecommunications systems (GSM and DCS) |
| ETSI EN 301 489-8 v1.2.1 (2002-08) | ElectroMagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 8: Specific conditions for GSM base stations |
| ETSI EN 301 489-9 v1.4.1 (2007-11) | ERM; EMC standard for radio equipment and services; Part 9: Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices |
| ETSI EN 301 489-17 V3.1.1 (2017-02) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU |
| ETSI EN 301 489-17 V2.1.1:2009 | Electromagnetic compatibility and Radio spectrum Matters (ERM); EMC standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems |
| ETSI EN 301 489-17 V2.2.1 (2012-09) | (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment; Part 17: Specific conditions for Broadband Data Transmission Systems |
| ETSI EN 301 489-23 v1.5.1 (2011-11) | (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 23: Specific conditions for IMT-2000 CDMA Direct Spread (UTRA and E-UTRA) Base Station (BS) radio, repeater and ancillary equipment |
| ETSI EN 301 489-24 v1.5.1 (2010-10) | (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 24: Specific conditions for IMT-2000 CDMA Direct Spread (UTRA and E-UTRA) for Mobile and portable (UE) radio and ancillary equipment |
| ETSI EN 301 489-27 V2.1.1 (2016-12) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 27: Specific conditions for Ultra Low Power Active Medical Implants (ULP-AMI) and related peripheral devices (ULP-AMI-P); Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU |
| ETSI EN 301 489-27 V1.1.1 (2004-06) | ERM; EMC standard for radio equipment and services; Part 27: Specific conditions for Ultra Low Power Active Medical Implants (ULP-AMI) and related peripheal devices (ULP-AMI-P) |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ETSI EN 301 489-29 V2.2.1 (2019-04) | [ETSI EN 301 489-29 V2.1.1 (2016-12)] ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 29: Specific conditions for Medical Data Service Devices (MEDS) operating in the 401 MHz to 402 MHz and 405 MHz to 406 MHz bands; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU |
|--|--|
| ETSI EN 301 489-29 V2.1.1 (2016-12) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 29: Specific conditions for Medical Data Service Devices (MEDS) operating in the 401 MHz to 402 MHz and 405 MHz to 406 MHz bands; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU |
| ETSI EN 301 489-29 V1.1.1 (2009-02) | ERM; ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 29: Specific conditions for Medical Data Service Devices (MEDS) operating in the 401 MHz to 402 MHz and 405 MHz to 406 MHz bands |
| ETSI EN 301 489-31 V2.2.1 (2019-04) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 31: Specific conditions for equipment in the 9 kHz to 315 kHz band for Ultra Low Power Active Medical Implants (ULP-AMI) and related peripheral devices (ULP-AMI-P); Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU |
| ETSI EN 301 489-31 V2.1.1 (2016-11) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 31: Specific conditions for equipment in the 9 kHz to 315 kHz band for Ultra Low Power Active Medical Implants (ULP-AMI) and related peripheral devices (ULP-AMI-P); Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU |
| ETSI EN 301 489-31 V1.1.1 (2005) | Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 31: Specific conditions for equipment in the 9kHz to 315kHz band for Ultra Low Pwer Active |
| ETSI EN 301 489-50 V2.1.1 (2017-02) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 50: Specific conditions for Cellular Communication Base Station (BS), repeater and ancillary equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU |
| ETSI EN 301 489-50 V1.2.1 (2013-03) | Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 50 |
| ETSI EN 301 489-51 V2.1.1 (2019-04) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 51: Specific conditions for Automotive, Ground based Vehicles and Surveillance Radar Devices using 24,05 GHz to 24,25 GHz, 24,05 GHz to 24,5 GHz, 76 GHz to 77 GHz and 77 GHz to 81 GHz; Harmonised Standard covering the essential requirements of article 3.1b of Directive 2014/53/EU |
| ETSI EN 301 502 V12.5.2 (2017-03) | Global System for Mobile communications (GSM); Base Station (BS) equipment; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 301 502 v10.2.1 (2012-11) | Global System for Mobile communications (GSM);Harmonized EN for Base Station Equipment covering the essential requirements of article 3.2 of the R&TTE Directive |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ETSI EN 301 502 v11.1.1 (2014-07) | Global System for Mobile communications (GSM);Harmonized EN for Base Station Equipment covering the essential requirements of article 3.2 of the R&TTE Directive |
|---------------------------------------|--|
| ETSI EN 301 502 v9.2.1 (2010-10) | Global System for Mobile communications (GSM); Harmonized EN for Base Station Equipment covering the essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 511 V12.5.1 (2017-03) | Global System for Mobile communications (GSM); Mobile Stations (MS) equipment; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 301 511 V12.1.1 (2015-06) | Global System for Mobile communications (GSM); Harmonized EN for mobile stations in the GSM 900 and GSM 1,800 bands covering essential requirements under article 3.2 of the R&TTE directive (1999/5/EC) |
| ETSI EN 301 511 V9.0.2 (2003-03) | Global System for Mobile communications (GSM); Harmonized EN for mobile stations in the GSM 900 and GSM 1,800 bands covering essential requirements under article 3.2 of the R&TTE directive (1999/5/EC) |
| ETSI EN 301 839 V2.1.1 (2016-04) | Ultra Low Power Active Medical Implants (ULP-AMI) and associated Peripherals (ULP-AMI-P) operating in the frequency range 402 MHz to 405 MHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU |
| ETSI EN 301 839 V2.1.1 (2016-04) | Ultra Low Power Active Medical Implants (ULP-AMI) and associated Peripherals (ULP-AMI-P) operating in the frequency range 402 MHz to 405 MHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU |
| ETSI EN 301 839-1 V1.3.1 (2009-10) | ERM; Radio equipment in the frequency range 402 MHz to 405 MHz for Ultra Low Power Active Medical Implants and Accessories; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 839-2, v1.2.1 (2007-07) | ERM; Radio equipment in the frequency range 402 MHz to 405 MHz for Ultra Low Power Active Medical Implants and Accessories; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 839-2 v1.3.1 | ERM; Radio equipment in the frequency range 402 MHz to 405 MHz for Ultra Low Power Active Medical Implants and Accessories; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 893 V2.1.1 (2017-05) | 5 GHz RLAN; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| ETSI EN 301 893 V1.8.1 (2015-03) | Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 893 V1.5.1:2008 | Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 893 V1.6.1 (2011-11) | Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 893 V1.7.1 (2012-06) | Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ETSI EN 301 908-1 V11.1.1 (2016-07) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Introduction and common requirements |
|---|--|
| ETSI EN 301 908-1 V7.1.1 (2015-03) | IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements |
| ETSI EN 301 908-1 V5.2.1 (2011-05) | Base Stations, Repeaters and User Equipment for IMT-2000 Third-Generation cellular networks; Part 1: Harmonized EN for IMT-2000, introduction and common requirements, covering essential requirements of article 3.2 of the R&TTE Directive |
| EN 301 908-1 V6.2.1 (2013-04) | Base Stations, Repeaters and User Equipment for IMT-2000 Third-Generation cellular networks; Part 1: Harmonized EN for IMT-2000, introduction and common requirements, covering essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 908-2 V11.1.2 (2017-08) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE) |
| ETSI EN 301 908-2, V7.1.1 (2015-12) | IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE) |
| ETSI EN 301 908-2 V11.1.1 (2016-07) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE) |
| ETSI EN 301 908-2 V5.2.1 (2011-07) | Base Stations, Repeaters and User Equipment for IMT-2000 Third-Generation cellular networks; Part 2: Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 301 908-2 V6.2.1 (2013-10) | IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE) |
| ETSI EN 301 908-3 V11.1.3 (2017-04) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 3: CDMA Direct Spread (UTRA FDD) Base Stations (BS) |
| ETSI EN 301 908-11 V11.1.2 (2017-01) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 11: CDMA Direct Spread (UTRA FDD) Repeaters |
| ETSI EN 301 908-11 V5.2.1 (2011-07) | (ERM); Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 11: Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (Repeaters) covering the essential |
| ETSI EN 301 908-13 V11.1.1 (2016-07) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE) |
| ETSI EN 301 908-13 V7.1.1 (2015-12) | IMT cellular networks; Harmonised EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE) |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ETSI EN 301 908-13 V11.1.2 (2017-07) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE) |
|---|---|
| ETSI EN 301 908-13 V4.2.1 (2010-03) | ERM; Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 13: Harmonized EN for IMT-2000, Evolved Universal Terrestrial Radio Access (E-UTRA) (UE) covering the essential requirements of |
| ETSI EN 301 908-13 V6.2.1 (2013-10) | IMT cellular networks; Harmonized EN covering article 3.2 of the R&TTE Directive; Part 13: Evolved Universal Terrestrial Radio Access (E'UTRA) User Equipment (UE) |
| ETSI EN 301 908-14 V11.1.2 (2017-04) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS) |
| ETSI EN 301 908-15 V11.1.2 (2017-01) | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 15: Evolved Universal Terrestrial Radio Access (E-UTRA FDD) Repeaters |
| EN 301 908-15 V5.2.1 | IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 15: Evolved Universal Terrestrial Radio Access (E-UTRA FDD) (Repeaters) |
| ETSI EN 302 195 V2.1.1 (2016-06) | Short Range Devices (SRD); Ultra Low Power Active Medical Implants (ULP-AMI) and accessories (ULP-AMI-P) operating in the frequency range 9 kHz to 315 kHz Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU |
| ETSI EN 302 195-2 V1.1.1 (2004-03) | (ERM); Radio equipment in the frequency range 9 kHz to 315 kHz for Ultra Low Power Active Medical Implants (ULP-AMI) and accessories; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive |
| ETSI EN 302 208 V3.1.1 (2016-11) | Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU |
| ETSI EN 302 208-1 V2.1.1 (2015-02) | Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Part 1: Technical requirements and methods of measurement |
| ETSI EN 302 208-1 V1.3.1 (2010-02) | ERM; RF Identification Equipment operating in the band 865 MHz 868 MHz with power levels up to 2 W; Part 1: Technical requirements and methods of measurement |
| ETSI EN 302 208-1 V1.4.1 (2011-11) | ERM; RF Identification Equipment operating in the band 865 MHz 868 MHz with power levels up to 2 W; Part 1: Technical requirements and methods of measurement |
| ETSI EN 302 208-2 V2.1.1 (2015-02) | Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| EN 302 208-2 v1.2.1 (2008-04) | ERM; RF Identification Equipment operating in the band 865 MHz 868 MHz with power levels up to 2 W; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive |
|---------------------------------------|---|
| ETSI EN 302 208-2 V1.4.1 (2011-11) | ERM; RF Identification Equipment operating in the band 865 MHz -868 MHz with power levels up to 2 W; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive |
| EN 302 291-1 V. 1.1.1 | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices (SRD);Close Range Inductive Data Communication equipment operating at 13,56 MHz;Part 1: Technical characteristics and test methods |
| EN 302 291-2, v1.1.1 | ERM; Short Range Devices; Close Range Inductive Data Communication equipment operating at 13,56 MHz - Part 2: Harmonized EN covering essential requirements of Article 3(2) of the R&TTE Directive |
| ETSI EN 302 537 V2.1.1 (2016-10) | Ultra Low Power Medical Data Service (MEDS) Systems operating in the frequency range 401 MHz to 402 MHz and 405 MHz to 406 MHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU |
| ETSI EN 303 413 V1.1.1 (2017-06) | Satellite Earth Stations and Systems (SES); Global Navigation Satellite System (GNSS) receivers; Radio equipment operating in the 1 164 MHz to 1 300 MHz and 1 559 MHz to 1 610 MHz frequency bands; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| EN 303 454 V1.1.1 (2018-01) | Short Range Devices (SRD); Metal and object detection sensors in the frequency range 1 kHz to 148,5 kHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU |
| EN 302 195-1 V1.1.1 (2004-03) | ERM; Radio equipment in the frequency range 9kHz to 315kHz for Ultra Low Power Active Medical Implants (ULP-AMI) and accessories; Part 1: Technical characteristics and test methods |
| BS EN 50385 (2017) | Product standard to demonstrate the compliance of base station equipment with radio frequency electromagnetic field exposure limits (110 MHz to 100 GHz), when placed on the market |
| EN 50385 (2002) | Product standard to demonstrate the compliances of radio BS & fixed terminal stations for |
| | wireless telecom systems with the basic restrictions or the reference levels related to human exposure to RF EM fields (110 MHz-40GHz) General public |
| BS EN 50401 (2017) | Product standard to demonstrate the compliance of base station equipment with radiofrequency electromagnetic field exposure limits (110 MHz-100 Mhz), when put into service |
| AS/NZS 2772.2 (2016) | Radiofrequency fields- Part 2: Principles and methods of measurement and computation-3 kHz to 300 GHz |
| AS/NZS 4268 (2017) | Radio equipment and systems-Short range devices-Limits and methods of measurement |
| AS/NZS 4268 (2012) + A1 (2013) | Radio equipment and systems - Short range devices - Limits and methods of measurement |
| | |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| ACMA Radiocommunications (Short Range Devices) Standard 2014 | For technical performance matters using AS/NZS 4268 |
|--|---|
| ACMA (Short Range Devices) Standard 2004 + A1 + A2 (2013) | For technical peformance matters using AS/NZS 4268 |
| AS/NZS 4268 (2008) | Radio equipment and systems - Short range devices - Limits and methods of measurement |
| AS/NZS 4268 (2008) + A1 (2010) | Radio equipment and systems - Short range devices - Limits and methods of measurement |
| AS/NZS 4268 (2012) | Radio equipment and systems - Short range devices - Limits and methods of measurement |
| AS/NZS 4771 (2000) + Amendment No. 1 | Technical characteristics and test conditions for data transmission equipment operating in the 900 MHz, 2.4 GHz and 5.8 GHz bands and using spread spectrum modulation techniques |
| ANSI C63.27 (2017) | American National Standard for Evaluation of Wireless Coexistence |
| HKCA 1002, Issue 6 (January 2008) | Performance Specification for Angle Modulated Radio Transmitters and Recievers for Use as Base, Repeater, Moble, and Portable Equipment - Land Moble Radio Services |
| HKCA 1007, Issue 5 (March 2012) | Electromagnetic Disturbance Characteristics of Industrial, Scientific, and Medical (ISM) Radio-Frequency Equipment |
| HKCA 1008, Issue 4 (November 2013) | Performance Specification for Low-Power Radio Microphones, Including Associated Receiving Equipment |
| HKCA 1008, Issue 3 (February 2003) | Performance Specification for Low-Power Radio Microphones, Including Associated Receiving Equipment |
| HKCA 1010, Issue 1 (June 2003) | Performance Specification for Angle Modulated Radio Transmitters and Receivers for Use as Base, Moble and Portable Equipment - Land Moble |
| HKCA 1015, Issue 4 (February 2003) | Performance Specification for Cordless Telephone Operarting in the 864.1 to 868.1 MHz Band |
| HKCA 1020, Issue 7 (November 2011) | Performance Specification of the Base Station System (BSS) and Repeater Equipment for use In the Public Radiotelephone Service (PMRS) Employing Global System for Mobile Communication (GSM) or in the Personal Communication Service (PCS) |
| HKCA 1033, Issue 7 (March 2012) | Performance Specification of the Mobile Station and Portable Equipment for use in the Global System for Mobile Communication (GSM) 900 and 1800 MHz Bands |
| HKCA 1034, Issue 3 (Oct 2009) | Performance Specification for Digital Enhanced Cordless Telecommunications (DECT) Equipment for Private Use |
| HKCA 1035, Issue 6 (May 2011) | Performance Specification for Radio Equipment Exempted From Licensing |
| HKCA 1039, Issue 6 (June 2015) | Performance Specification for Radiocommunications Apparatus Operating in the 2.4 Ghz or 5 Ghz Band and Employing Frequency Hopping or Digital Modulation |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| HKCA 1039, Issue 4 (October 2010) | Performance Specification for Radiocommunications Apparatus Operating in the 2.4 Ghz or 5 Ghz Band and Employing Frequency Hopping or Digital Modulation |
|-------------------------------------|--|
| HKCA 1039, Issue 5 (June 2013) | Performance Specification for Radiocommunications Apparatus Operating in the 2.4 Ghz or 5 Ghz Band and Employing Frequency Hopping or Digital Modulation |
| HKCA 1041, Issue 1 (February 2003) | Performance Specification for Radiocommunications Apparatus Operating in the 27 MHz Band for Private Use |
| HKCA 1042, Issue 2 (February 2003) | Performance Specification for Radio Equipment Operating in the 5 GHz Band for Wireless Access |
| HKCA 1043, Issue 4 (June 2008) | Performance Specification for Base Station Equipment for Use in the Third Generation (3G) Mobile Communications Services Employing CDMA Direct Spread (UTRA FDD) |
| HKCA 1044, Issue 1 (February 2003) | Performance Specification for Short-Range Portable Radio Operating in the 409 MHz Band |
| HKCA 1046, Issue 3 (September 2008) | Method of Measurement for Radio Transmitter for Use in the Land Mobile Service |
| HKCA 1048, Issue 2, (June 2008) | Performance specification for user equipment for use in the third generation (3G) mobile communications services employing CDMA direct spread (UTRA FDD) |
| HKCA 1049, Issue 1 (April 2005) | Performance Specification for Radio Frequency Identification (RFID) Equipment Operating in the 865 - 868 MHz and/or 920 - 925 MHz Bands |
| HKCA 1050, Issue 1, (January 2006) | Performance specification for 26.96-27.41 MHz citizens band (CB) radio transreceivers |
| HKCA 1052, Issue 2 (September 2012) | Performance specification for medical implant communication systems |
| HKCA 1053, Issue 1 (June 2008) | Performance specification for base station and repeater equipment for use in the third generation (3G) mobile communications services employing DCMA2000 spread spectrum |
| HKCA 1054, Issue 1 (September 2008) | Perforance sepcification for mobile station for use in the third generation (3G) mobile communications services employing CDMA2000 spread spectrum |
| HKTA 1002 Issue 6 (1/2008) | Performance Specification for Angle-modulated Radio Transmitters and Receivers for use as Base, Repeater, Mobile and Portable Equipment in the Land Mobile Radio Service |
| HKTA 1007, Issue 5 (March 2012) | Electromagnetic Disturbance Characteristics of Industrial, Scientific, and Medical (ISM) Radio-Frequency Equipment |
| HKTA 1008, Issue 3 (February 2003) | Performance Specification for Low-Power Radio Microphones, Including Associated Receiving Equipment |
| HKTA 1010 Issue 01, June 2003 | Performance Specification for Angle Modulated Radio Transmitters and Receivers for Use as Base, Mobile and Portable Equipment in the Land Mobile Radio Service |
| HKTA 1015, Issue 4 (February 2003) | Performance Specification for Cordless Telephone Operating in the 864.1 - 868.1 MHz Band |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| HKTA 1020, Issue 7 (November 2011) | Performance Specification of the Base Station System (BSS) and Repeater Equipment for use In the Public Radiotelephone Service (PMRS) Employing Global System for Mobile Communication (GSM) or in the Personal Communication Service (PCS) |
|-------------------------------------|---|
| HKTA 1033, Issue 7 (March 2012) | Performance Specification of the Mobile Station and Portable Equipment for use in the Global System for Mobile Communication (GSM) 900 and 1800 MHz Bands |
| HKTA 1034, Issue 3 (Oct 2009) | Performance Specification for Digital Enhanced Cordless Telecommunications (DECT) Equipment for Private Use |
| HKTA 1035, Issue 6 (May 2011) | Performance Specification for Radio Equipment Exempted From Licensing |
| HKTA 1039, Issue 4 (October 2010) | Performance Specification for Radiocommunications Apparatus Operating in the 2.4 Ghz or 5 Ghz Band and Employing Frequency Hopping or Digital Modulation |
| HKTA 1041, Issue 1 (February 2003) | Performance Specification for Radiocommunications Apparatus Operating in the 27 MHz Band for Private Use |
| HKTA 1043, Issue 4 (June 2008) | Performance Specification for Base Station Equipment for Use in the Third Generation (3G) Mobile Communications Services Employing CDMA Direct Spread (UTRA FDD) |
| HKTA 1044, Issue 1 (February 2003) | Performance Specification for Short-Range Portable Radio Operating in the 409 MHz Band |
| HKTA 1046, Issue 3 (September 2008) | Method of Measurement for Radio Transmitter for Use in the Land Mobile Service |
| HKTA 1048, Issue 2, June 2008 | Performance specification for user equipment for use in the third generation (3G) mobile communications services employing CDMA direct spread (UTRA FDD) |
| HKTA 1049, Issue 1 (April 2005) | Performance Specification for Radio Frequency Identification (RFID) Equipment Operating in the 865 - 868 MHz and/or 920 - 925 MHz Bands |
| HKTA 1050, Issue 1, January 2006 | Performance specification for 26.96-27.41 MHz citizens band (CB) radio transreceivers |
| HKTA 1052, Issue 1, January 2008 | Performance specification for medical implant communication systems |
| HKTA 1053, Issue 1, June 2008 | Performance specification for base station and repeater equipment for use in the third generation (3G) mobile communications services employing DCMA2000 spread spectrum |
| HKTA 1054, Issue 1, September 2008 | Perforance sepcification for mobile station for use in the third generation (3G) mobile communications services employing CDMA2000 spread spectrum |
| IDA TS CMT Issue 1, June 2011 | Technical Specification for Cellular Mobile Terminal |
| IDA TS LMR Issue 1 Rev 5, June 2014 | Technical Specification for Land Mobile Radio Equipment |
| IDA TS LMR Issue 1 Rev 4, June 2011 | Technical Specification for Land Mobile Radio Equipment |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| IDA TS SRD Issue 1 Rev 6, May 2011 | Technical Specification for Short Range Devices |
|---|---|
| IDA TS SRD Issue 1 Rev 7, April 2013 | Technical Specification for Short Range Devices |
| IDA TS UWB Issue 1 Rev 1, May 2011 | Technical Specification for Ultra Wideband (UWB) Devices |
| IDA TS WBA Issue 1 Rev 1, May 2011 | Technical Specification for Wireless Broadband Access (WBA) Equipment |
| IDA TS WBA Issue 1 Rev 2, November 2012 | Technical Specification for Wireless Broadband Access (WBA) Equipment |
| IMDA TS CMT (July 2017) | Technical Specification for Cellular Mobile Terminal |
| IMDA TS CMT (October 2016) | Telecommunications Standards Advisory Committee (TSAC)- Technical Specification for Cellular Mobile Terminal |
| IMDA TS LMR, Issue 1 (October 2016) | Telecommunications Standards Advisory Committee (TSAC)- Technical Specification for Land Mobile Radio Equipment |
| IMDA TS SRD (April 2018) | Telecommunications Standards Advisory Committee (TSAC) - Technical Specification for Short Range Devices |
| IMDA TS SRD, Issue 1 (October 2016) | Telecommunications Standards Advisory Committee (TSAC)- Technical Specification for Short Range Devices |
| IMDA TS UWB, Issue 1 (October 2016) | Telecommunications Standards Advisory Committee (TSAC)- Technical Specification for Ultra-Wideband (UWB) Devices |
| IMDA TS WBA, Issue 1 (October 2016) | Telecommunications Standards Advisory Committee (TSAC)- Technical Specification for Wireless Broadband Access Equipment |
| IS 2019-0 (September 9, 1998) | 1.6/2.4 GHz Satellite Personal Communications Networks (S-PCN) Mobile Earth Stations (MESs) Technical Requirements and Type Approval Guidelines |
| IS 2019-0 (May 9, 2012) | 1.6/2.4 GHz Satellite Personal Communications Networks (S-PCN) Mobile Earth Stations (MESs) Technical Specifications |
| KCC Public Notification 2012-92 (Nov 6, 2012); K only | Technical Requirements for Radio Equipment; Regulations on Radio Equipment (K only) |
| KCC Public Notification 2012-93 (Nov 6, 2012);K only | Technical Requirements for Unlicensed Radio Equipment Established Without Notice (K only) |
| KS X 3123:2015 | Conformity Assessment Test Methods for Radio Equipment; Korea only |
| KS X 3123:2017 | Conformity assessment test methods for radio equipment |
| LP0002 (January 2018) | Low-power Radio-frequency Devices Technical Specifications |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| LP 0002 (June 2011) | Low-power Radio-frequency Devices Technical Specifications |
|---|---|
| MSIP Public Notification 2013-116 Aug 29, 2013; K only | Technical Requirements for Radio Equipment: Unlicensed Radio Equipment Established Without Notice |
| MSIP Public Notification 2014-39 (Jul 1, 2014) | Regulations on Radio Equipment; Korean only |
| MSIP Public Notification 2013-157 (Sep. 11, 2013) | Regulations on Radio Equipment; Korea only |
| MSIP Public Notification 2015-89 (Nov. 11, 2015); K only | Regulations on Radio Equipment; Korea only |
| MSIP Public Notification 2015-91 (Nov. 11, 2015) | Unlicensed Radio Equipment Established Without Notice; Korea only |
| MSIP Public Notification 2015-95 (Dec. 8 2015); K only | Regulations on Radio Equipment; Korea only |
| MSIP Public Notification 2016-47 (Apr 22, 2016) | Regulations on Radio Equipment- Korean only |
| MSIP Public Notification 2016-48 (Apr 22, 2016) | Unlicensed Radio Equipment Established Without Notice- Korean only |
| MSIP Public Notification 2016-78 (Aug. 12, 2016) | Regulations on Radio Equipment; Korea only |
| MSIP Public Notification 2016-127 (Dec. 06, 2016) | Unlicensed Radio Equipment Established Without Notice; Korea only |
| MSIP Public Notification 2017-21 (March 31, 2017) | Technical Requirements for Radio Equipment, Unlicensed Radio Equipment Established Without Notice (K only) |
| MSIT Public Notification 2018-38, Jun 27, 2018 | Unlicensed Radio Equipment Established Without Notice; Korean Only |
| Enforcement Decree of MSIT No. 1, Jul 26, 2017 | Technical Requirements for Radio Equipment; Regulations on Radio Equipment |
| MSIT Public Notification 2018-71, Oct 16, 2018 | Unlicensed Radio Equipment Established Without Notice (MSIT Public Notification 2018-71, Oct 16, 2018); Korean only |
| PLMN08 (2018) | The Third Generation Mobile Telecommunication Terminal Equipment Technical Specifications |
| PLMN01 (2007) | GSM900 and DCS1800 Radio Terminal Equipment Technical Specifications |
| PLMN01 (2012) | GSM900 and DCS1800 Mobile Equipment Technical Specifications |
| PLMN04 (2003) | Trunked Radio Terminal Equipment Technical Specifications |
| | |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| PLMN04 (2007) | Trunked Radio Terminal Equipment Technical Specifications |
|------------------------|--|
| PLMN05 (2003) | Mobile Data Radio Terminal Equipment Technical Specifications |
| PLMN05 (2007) | Mobile Data Radio Terminal Equipment Technical Specifications |
| PLMN08 (2007) | Mobile Telecommunication Terminal Equipment Technical Specifications |
| PLMN08 (2012) | The Third Generation Mobile Telecommunication Terminal Equipment Technical Specifications |
| PLMN09 (2008) | Subscriber Station for Wireless Broadband Access Type Approval Technical Specification |
| PLMN09 (2012) | Subscriber Station for Wireless Broadband Access Type Approval Technical Specification |
| QCVN 110 (2017):BTTTT | National technical regulation on Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS) |
| QCVN 111 (2017):BTTT | National technical regulation on Evolved Universal Terrestrial Radio Access (E-UTRA FDD) Repeater |
| QCVN 117 (2018): BTTTT | National technical regulation on Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE) - Radio Access |
| QCVN 11 (2010): BTTTT | PHS Terminal equipment |
| QCVN 12 (2015): BTTTT | National technical regulation on GSM mobile station |
| QCVN 12 (2010): BTTTT | National technical regulation on GSM mobile stations (Phase 2 and 2) |
| QCVN 13 (2010): BTTTT | National technical regulation on 800 MHz CDMA 2000-1 mobile station |
| QCVN 15 (2015): BTTTT | National technical regulation on W-CDMA FDD mobile station |
| QCVN 15 (2010): BTTTT | National technical regulation on Mobile Stations for W-CDMA FDD |
| QCVN 16 (2018): BTTTT | National technical regulation on base stations for W-CDMA FDD |
| QCVN 16 (2010): BTTTT | National technical regulation on base stations for W-CDMA FDD |
| QCVN 18 (2014): BTTTT | National technical regulation on General Electromagnetic Compatibility for Radio Communications Equipment |
| QCVN 41 (2016): BTTTT | Technical regulation on GSM base stations |
| QCVN 41 (2011): BTTTT | Technical regulation on GSM base stations |
| QCVN 42 (2011): BTTTT | Technical regulation on land mobile radio equipment having an antenna connector intended for the transmission of data (and speech) |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| QCVN 54 (2011): BTTTT | Radio equipments operating in the 2.4 GHz band and using spread spectrum modulation techniques - Technical requirements |
|---|---|
| QCVN 55 (2011): BTTTT | Short Range Devices - Radio equipment in the frequency range 9 kHz to 25 MHz |
| QCVN 65 (2013): BTTTT | National Technical Regulation on Radio Access Equipment Operating in 5 GHz Band |
| QCVN 73 (2013): BTTTT | Technical regulation on Short Range Device (SRD) -Radio equipment to be used in the 25 MHz to 1 GHz frequency range |
| QCVN 74 (2013): BTTTT | Technical regulation on Short Range Device (SRD)- Radio equipment to be used in the 1 GHz to 40 GHz frequency range |
| QCVN 75 (2013): BTTTT | Technical regulation on Low Data Rate data transmission equipment operating in the 5,8 GHz band use in Road Transport Traffic |
| QCVN 76 (2013): BTTTT | Technical regulation on High Data Rate data transmission equipment operating in the 5,8 GHz band use in Road Transport Traffic |
| QCVN 88 (2015): BTTTT | Technical regulation on radio emission of wireless access equipments operating at Multiple-Gigabit data rates in the 60 GHz band |
| QCVN 91 (2015): BTTTT | Technical regulation on cordless audio devices in the range 25 MHz to 2000 MHz |
| QCVN 94 (2015): BTTTT | Technical regulation on electromagnetic compatibility for Ultra Wide Band communication equipment |
| QCVN 95 (2015): BTTTT | Technical regulation on Radio frequency Identification equipment (RFID) operating in the band 866 MHz to 868 MHz |
| QCVN 96 (2015): BTTTT | Technical regulation on electromagnetic compatibility for Short Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz |
| QCVN 99 (2015): BTTTT | Technical regulation on Medium Data Rate data transmission equipment operating in the 5,8 GHz band use in Road Transport Traffic |
| QCVN 112 (2017): BTTTT | National technical regulation on general electromagnetic compatibility for radio broadband data transmission equipment |
| RRA Announce 2011-32, K only (Dec 27, 2011) | Conformity Assessment Procedure of Radio Equipment (K only) |
| RRA Public Notification 2012-21 (Nov. 06, 2012) | Technical Requirements for Measurement of Electromagnetic Field Strength; Korea only |
| RRA Announce 2013-33, (Jul 26, 2013); Korean only | Conformity Assessment Procedure of Radio Equipment; Korean only |
| RRA Notice 2014-2, K only (Feb. 4, 2014) | Technical Requirements for Measurement of Electromagnetic Field Strength, K only |
| RRA Announce 2015-81 (Sep. 30, 2015); Korea only | Conformity Assessment Procedure of Radio Equipment; Korea only |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| RRA Announce 2015-135 (Jan. 5, 2016) | Conformity Assessment Procedure of Radio Equipment; Korea only |
|---|--|
| RRA Notice 2017-7, Korean only (Aug. 4, 2017) | Technical Requirements for Measurement of Electromagnetic Field Strength, Korean only |
| RSS-102, Issue 5 (March 2015) | Radio Frequency (RF) Exposure Compliance of Radiocommunication Apparatus (All Frequency Bands) - NS |
| RSS-102, Issue 5 (March 2015) | Radio Frequency (RF) Exposure Compliance of Radiocommunication Apparatus (All Frequency Bands) - RF Exposure |
| RSS-117, Issue 3 (January, 2016) | Land and Coast Station Transmitters Operating in the 200 - 535 kHz Band |
| RSS-119, Issue 12 (May 2015) | Land Mobile and Fixed Equipment Operating in the Frequency Range 27.41-960 MHz |
| RSS-123, Issue 3, (February 2015) | Licensed Low-Power Radio Apparatus |
| RSS-130, Issue 2 (February 2019) | Equipment Operating in the Frequency Bands 617-652 MHz, 663-698 MHz, 698-756 MHz and 777-787 MHz |
| RSS-130, Issue 1 (October 2013) | Mobile Broadband Services (MBS) Equipment Operating in the Frequency Bands 698-756 MHz and 777-787 MHz |
| RSS-131, Issue 3 (May 2017) | Zone Enhancers |
| RSS-131, Issue 3 (January 2017) | Zone Enhancers |
| RSS-131, Issue 2 (July 2003) | Zone Enhancers for the Land Mobile Service |
| RSS-132, Issue 3 (January 2013) | Cellular Telephone Systems Operating in the Bands 824-849 MHz and 869-894 MHz |
| RSS-133, Issue 6 (January 2013) + Amendment (January 2018) | 2 GHz Personal Communications Services |
| RSS-133, Issue 6 (Janauary 2013) | 2 GHz Personal Communications Services |
| RSS-134, Issue 2 (February 5, 2016) | 900 MHz Narrowband Personal Communication Service |
| RSS-139, Issue 3 (July 2015) | Advanced Wireless Services (AWS) Equipment Operating in the Bands 1710-1780 MHz and 2110-2180 MHz |
| RSS-140, Issue 1 (April 2018) | Equipment Operating in the Public Safety Broadband Frequency Bands 758-768 MHz and 788-798 MHz |
| RSS-142, Issue 5 (April 2013) | Narrowband Multipoint Communication Systems in the Band 1429.5-1432 MHz |
| RSS-170, Issue 3 (July 2015) | Mobile Earth Stations (MESs) and Ancillary Terrestrial Component (ATC) Equipment Operating in the Mobile-Satellite Service (MSS) Bands |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| RSS-193, Issue 1 (July 2003) | Multipoint and Point-to-Point Communication Systems (MCS) in the Fixed Service Operating in the 2,150 - 2,160 MHz, 2,500 - 2,596 MHz and 2,686 - 2,690 MHz Bands |
|--|--|
| RSS-194, Issue 1 (October 2007) | Fixed Wireless Access Equipment Operating in the Band 953-960 MHz |
| RSS-195, Issue 2 (April 2014) | Wireless Communication Service (WCS) Equipment Operating in the Bands 2305-2320 MHz and 2345-2360 MHz |
| RSS-196, Issue 2 (February 2019) | Point-to-Multipoint Broadband Equipment Operating in the Bands 512-608 MHz for Rural Remote Broadband Systems (RRBS) (TV Channels 21 to 36) |
| RSS-196, Issue 1 (March 2010) | Point-to-Multipoint Broadband Equipment Operating in the Bands 512-608 MHz and 614-698 MHz for Rural Remote Broadband Systems (RRBS) (TV Channels 21 to 51) |
| RSS-197, Issue 1 (February 2010) | Wireless Broadband Access Equipment Operating in the Band 3650-3700 MHz |
| RSS-199, Issue 3 (December 2016) | Broadband Radio Service (BRS) Equipment Operating in the Band 2500-2690 MHz |
| RSS-210, Issue 9 (August 2016) + A1 (November 2017) | Licence-Exempt Radio Apparatus: Category I Equipment |
| RSS-210, Issue 8 (December 2010) + A1 (February 2015) | Licence-exempt Radio Apparatus (All Frequency Bands): Category I Equipment |
| RSS-210, Issue 9 (August 2016) | Licence-Exempt Radio Apparatus: Category I Equipment |
| RSS-210, Issue 8 (December 2010) | Licence-exempt Radio Apparatus (All Frequency Bands): Category I Equipment |
| RSS-211, Issue 1 (March 2015) | Level Probing Radar Equipment |
| RSS-213, Issue 3 (March 2015) | 2 GHz Licence-Exempt Personal Communications Services (LE-PCS) Devices |
| RSS-216, Issue 2 (January 20, 2016) | Wireless Power Transfer Devices |
| RSS-220, Issue 1 (March 2009) + A1 (July 2018) | Devices using Ultra-Wideband (UWB) Technology |
| RSS-220, Issue 1 (March 2009) | Devices using Ultra-Wideband (UWB) Technology |
| RSS-222, Issue 1 (February 2015) | White Space Devices (WSDs) |
| RSS-236, Issue 1 (September 2012) | General Radio Service Equipment Operating in the Band 26.960 to 27.410 MHz (Citizens Band) |
| RSS:238, Issue 1 (July 2013) | Shipborne Radar in the 2900-3100 MHz and 9225-9500 MHz Bands |
| RSS-243, Issue 3, (February 2010) | Medical Devices Operating in the 401-406 MHz Frequency Band |
| RSS-244, Issue 1 (June 2013) | Medical Devices Operating in the Band 413-457 MHz |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| RSS-246, Issue 1 (March 2019) | Ultra-Low Power (ULP) Wireless Medical Capsule Endoscopy Devices Operating in the 430-440 MHz Band |
|---|---|
| RSS-247, Issue 2 (February 2017) | Digital Transmission Systems (DTSs), Frequency Hopping Systems (FHSs) and Licence-Exempt Local Area Network (LE-LAN) Devices |
| RSS-247, Issue 1 (May 2015) | Digital Transmission Systems (DTSs), Frequency Hopping Systems (FHSs) and Licence-Exempt Local Area Network (LE-LAN) Devices |
| RSS-251, Issue 2 (July 2018) | Vehicular Radar and Airport Fixed or Mobile Radar in the 76-81 GHz Frequency Band |
| RSS-251, Issue 1 (Nov. 2014) | Field Disturbance Sensors in the Bands 46.7-46.9 GHz (Vehicular Radar) and 76-77 GHz (Vehicular and Airport Fixed Radar) |
| RSS-287, Issue 2 (March 6, 2014) | Emergency Position Indicating Radio Beacons (EPIRB), Emergency Locator Transmitters (ELT), Personal Locator Beacons (PLB), and Maritime Survivor Locator Devices (MSLD) |
| RSS-310, Issue 4 (July 2015) | Licence-Exempt Radio Apparatus: Category II Equipment |
| RSS-Gen, Issue 5 + Amendment 1 (March 2019) | General Requirements for Compliance of Radio Apparatus |
| RSS-Gen, Issue 4 (November 2014) | General Requirements for Compliance of Radio Apparatus |
| RSS-Gen, Issue 5 (April 2018) | General Requirements for Compliance of Radio Apparatus |
| TCN 68-192:2003 | Radio communication equipment - General ElectroMagnetic Compatibility Requirement |
| TCN 68-242:2006 | Radio equipments operating in the 2.4 GHz band and using spread spectrum modulation techniques - Technical requirements |
| TCN 68-243:2006 | Short Range Devices - Radio equipment in the frequency range 9 kHz to 25 MHz - Technical requirements |
| RTTE01 (2007) | 2.4GHz Radio-frequency Telecommunications Terminal Equipment Technical Specification |
| DE Evmoguro | |

| | Specification |
|---------------------------------------|--|
| RF Exposure | |
| Designation Designation | <u>Description</u> |
| FCC KDB 447498 D02 (October 23, 2015) | SAR Measurement Procedures for USB Dongle Transmitters |
| EN 50360 (2017) | Product standard to demonstrate the compliance of wireless communication devices, with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 300 MHz to 6 GHz: devices used next to the ear |
| EN 50364 (2018) | Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| EN 50364 (2010) | Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in electronic article surveillance (EAS), radio frequency identification (RFID) and similar applications |
|--|---|
| EN 50383 (2010) | Basic Standard for the calculation and measurement of electromagnetic field strength and SAR related to human exposure from radio base stations and fixed terminal stations for wireless telecommunication system (110 MHz - 40 GHz) |
| EN 50566 (2017) | Product standard to demonstrate the compliance of wireless communication devices with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 30 MHz to 6 GHz: hand-held and body mounted devices in close proximity to the human body |
| EN 62209-1 (2016) | Measurement procedure for the assessment of specific absorption rate of human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices. Devices used next to the ear (Frequency range of 300 MHz to 6 GHz) |
| EN 62233 (2008) | Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure |
| EN 62311 (2008) | Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz) |
| EN 62369-1 (2009) | Evaluation of human exposure to electromagnetic fields from short range devices (SRDs) in various applications over the frequency range 0 GHz to 300 GHz Part 1. |
| EN 62479 (2010-12) | Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz) |
| ACA Standard 2014 | Radiocommunications (Electromagnetic Radiation - Human Exposure) Standard 2014 |
| H46-2/99-273E | Limits of Human Exposure to Radiofrequency Electromagnetic Fields in the Frequency Range From 3 kHZ to 300 GHz - Safety Code 6 (Canada) |
| IEEE Std C95.1 (2005) + A1 (2010) | IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz |
| KCC Public Notification 2012-2 (Jan. 5, 2012) | Technical Requirements for the Human Protection against Electromagnetic Waves; K only |
| MSIP Public Notification 2013-118 (Aug 29, 2013); K only | Technical Requirements for the Human Protection against Electromagnetic Waves |
| MSIP Public Notification 2015-17 (Mar 25, 2015); K only | Equipment to be subject of Test Procedure for Electromagnetic Field Strength and Specific Absorption Rate; Korean only |
| MSIP Public Notification 2015-17 (Mar. 25 2015); K only | Equipment to be subject of Test Procedure for Electromagnetic Field Strength and Specific Absorption Rate; Korea only |
| MSIP Public Notification 2015-18 (Mar. 25, 2015); K only | Technical Requirements for the Human Protection against Electromagnetic Waves; Korea only |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

NVLAP LAB CODE 201049-0

| MSIP Public Notification 2016-66 (Jun 23, 2016) | Equipment to be subject of Test Procedure for Electromagnetic Field Strength and Specific Absorption Rate- Korean only |
|--|--|
| KCC Public Notification 2011-10, K only (Jan. 26, 2011) | Equipment to be subject of Test Procedure for Electromagnetic Field Strength and Specific Absorption Rate (SAR) |
| RRA Public Notification 2015-23 (Nov. 18 2015) | Technical Requirements for Measurement and Test Procedure of Specific Absorption Rate; Korea only |
| RRA Public Notification 2017-8 (Aug. 28 2017) | Technical Requirements for Measurement and Test Procedure of Specific Absorption Rate; Korean only |

Telecommunications

| Designation | <u>Description</u> |
|-----------------------------------|---|
| ETSI EN 300 386 V1.5.1 (2010-10) | Electromagnetic compatibility and Radio spectrum Matters (ERM); Telecommunication network equipment; ElectroMagnetic Compatibility (EMC) requirements |
| ETSI EN 300 386 V1.6.1 (2012-09) | Electromagnetic compatibility and Radio spectrum Matters (ERM); Telecommunication network equipment; ElectroMagnetic Compatibility (EMC) requirements |
| ANSI/TIA/EIA-603-D (2010) | TIA Standard: Land Mobile FM or PM Communications Equipment - Measurement and Performance Standard |
| ANSI/TIA/EIA-603-E (2016) | TIA Standard: Land Mobile FM or PM Communications Equipment - Measurement and Performance Standard |
| FCC KDB 935210 (April 8, 2016) | Licensed signal boosters and amplifiers |
| FCC KDB 971168 (January 6, 2016) | MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS |
| FCC KDB 971168 (October 17, 2014) | MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS |
| AS/CA S042 (2015) | Telecommunications Technical Standard (Requirements for Connection to an Air Interface of a Telecommunications Network |
| AS/CA S042.1 (2011) | Requirements for connection to an air interface of a Telecommunications Network - Part 1: General |
| AS/CA S042.1 (2010) +A1 (2013) | Requirements for connection to an air interface of a Telecommunications Network - Part 1: General |
| AS/ACIF S042.3 (2005) | Requirements for connection to an air interface of a Telecommunications Network - Part 3: GSM Customer Equipment |
| AS/CA S042.4 (2011) | Requirements for connection to an air interface of a Telecommunications Network - Part 4: IMT-2000 Customer Equipment |



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

| FCC KDB 935210 D05 (February 12, 2016) | Signal Boosters (Part 20)- Measurements Guidance for Industrial and Non-consumer Signal Booster, Repeater, and Amplifier Devices- Industry Booster Basic Measurements v01r01 |
|---|---|
| FCC KDB 935210 D03 (February 12, 2016) | Signal Boosters (Part 20)- Wideband Consumer Signal Booster Compliance Measurement Guidance- Signal Booster Measurements v04 |
| FCC KDB 935210 D04 (February 12, 2016) | Signal Boosters (Part 20)- Wideband Consumer Signal Booster Compliance Measurement Guidance- Provider Specific Booster Measurements v02 |
| ANSI/TIA 603-D (2010) and TIA-102.CAAA-D with 47 CFR FCC Part 2 | Citizens Broadband Radio Services in 47 CFR FCC Part 96 |
| ANSI/TIA 603-D (2010) and TIA-102.CAAA-D with 47 CFR FCC Part 2 | Broadcast Radio Services in 47 CFR Parts FCC 73 and 74 (non-microwave) |
| ANSI/TIA 603-D (2010) and TIA-102.CAAA-D with 47 CFR FCC Part 2 | Commercial Mobile Services in 47 CFR FCC Parts 22 (cellular), 24, 25 (non-microwave), and 27 |
| ANSI/TIA 603-D (2010) and TIA-102.CAAA-D with 47 CFR FCC Part 2 | General Mobile Radio Services in 47 CFR FCC Parts 22 (non-cellular), 90 (non-microwave), 95, 97 and 101 (non-microwave) |
| ANSI/TIA 603-D (2010) with 47 CFR FCC Part 2 | Maritime and Aviation Radio Services in 47 CFR FCC Parts 80 and 87 |
| ANSI/TIA 603-D (2010) and TIA-102.CAAA-D with 47 CFR FCC Part 2 | Microwave and Millimeter Bands Radio Services in 47 CFR FCC Parts 25, 74, 90 (90Y, 90Z, DSRC) and 101 |
| GR-1089-CORE, Issue 7 (December 2017) | Electromagnetic Compatibility and Electrical Safety - Generic Criteria for Network Telecommunications Equipment (Generic Requirements) |
| GR-1089-CORE, Issue 4 (June 2006) | Electromagnetic Compatibility and Electrical Safety - General Criteria for Network Telecommunications Equipment |
| QCVN 103 (2016): BTTTT | National technical regulation on electromagnetic compatibility for Base Station, Repeater, ancillary equipment of digital cellular telecommunications systems GSM, W-CDMA FDD and LTE |